

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

If the space be nearer to the station, or if the difference in density be more than 1-100th part, these deflections must be multiplied by a corresponding quantity.

- 7. The paper is concluded by a revision of some of the calculations in the former communication. The mass of the mountain region above the level of the plains is shown to be somewhat more than four-millionths of the mass of the earth.
- III. "On the Thermal Effects of Compressing Fluids." By J. P. Joule, LL.D., F.R.S. &c. Received October 9, 1858.

(Abstract.)

The author in this paper gives an experimental demonstration of the correctness of Professor Thomson's formula, $\theta = \frac{\mathrm{T}ep}{\mathrm{J}\mathrm{K}}$, where θ is the thermal effect, T the temperature from absolute zero, e the expansibility by heat, p the pressure, J the mechanical equivalent of the thermal unit, and K the capacity for heat. The fluids experimented on were water and oil, with the results tabulated below:—

	Temperature of the liquid.	Pressure applied in atmospheres.	Experimental result.	Theoretical result.
Water	η2 Cent. 5 11·69 18·38 30 31·37 40·4	25·34 25·34 25·34 25·34 25·34 15·64	-0.0083 0.0044 0.0205 0.0314 0.0544 0.0394 0.0450	$\begin{array}{c} -\mathring{0}\cdot 0071 \\ 0\cdot 0027 \\ 0\cdot 0197 \\ 0\cdot 0340 \\ 0\cdot 0563 \\ 0\cdot 0353 \\ 0\cdot 0476 \end{array}$
Oil	16 17·29 16·27	7·92 15·64 25·34	0·0792 0·1686 0·2663	0·0886 0·1758 0·2837

IV. "Note on Archdeacon Pratt's paper on the Effect of Local Attraction on the English Arc." By Captain Clarke, R.E. Communicated by Lieut.-Colonel James, R.E. Received June 30, 1858.

The following letter of Colonel James will explain the nature of this communication; the numerical statements, being not susceptible